

L Number	Hits	Search Text	DB	Time stamp
1	4548	(438/118,622,201,211,257).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:59
2	1	connect\$4 near4 (control word wordline) with connect\$4 near4 (source drain) with simultaneous\$2 and ((438/118,622,201,211,257).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:49
3	20	connect\$4 near4 (control word wordline) with connect\$4 near4 (source drain) with simultaneous\$2 and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:52
4	1	((438/118,622,201,211,257).CCLS.) and (perpendicular second near direction) with wir\$3 with word with (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:01
5	20	((438/118,622,201,211,257).CCLS.) and wir\$3 with word with (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:01
6	3	back\$3 near wir\$3 with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:09
7	355	back\$3 with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:09
8	48	back\$3 with common near (source drain) near (wir\$3 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:10
9	2	backing with common near (source drain) near (wir\$3 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:10
-	1	("6114767").PN.	USPAT	2000/12/29 11:47
-	4	((("5717635") or ("5834807") or ("5838615") or ("5208782"))).PN.	USPAT	2000/12/28 11:26
-	4	((("5717635") or ("5834807") or ("5838615") or ("5208782"))).PN.	USPAT	2000/12/28 11:24
-	1322	(438/118,622,201,211,257).CCLS.	USPAT	2003/10/20 17:23
-	352	(EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.) (source and Drain) and ((EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.)))	USPAT	2001/05/07 15:15
-	312	(source and Drain) and ((EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.)))	USPAT	2000/12/28 11:32
-	203	contact\$1 and ((float\$3 and control) and ((source and Drain) and ((EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.))))	USPAT	2003/02/10 10:51
-	202	(second adj interlayer adj insulating adj (layer film)) SAME (drain bit)	USPAT	2000/12/28 15:45
-	17	((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM)	USPAT	2002/05/24 17:25

Search History 10/21/03 11:14:08 AM Page 1

-	185	((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) not (EPROM EEPROM)	USPAT	2000/12/29 12:04
-	127	((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and bit adj line	USPAT	2000/12/29 09:13
-	136	((second adj interlayer adj insulating adj (layer film)) WITH (drain bit))	USPAT	2000/12/29 09:20
-	48	((second adj interlayer adj insulating adj (layer film)) WITH (drain bit))) not capacitor	USPAT	2000/12/29 09:31
-	1	("5834807").PN.	USPAT	2000/12/29 09:53
-	1	("5838615").PN.	USPAT	2000/12/29 10:01
-	71	Aluminum adj contact WITH (source drain)	USPAT	2000/12/29 10:44
-	1	("5838615").PN.	USPAT	2000/12/29 10:44
-	1	("6114767").PN.	USPAT	2000/12/29 11:23
-	1	backing adj wiring adj layer	USPAT	2000/12/29 11:23
-	1	("6114767").PN.	USPAT	2000/12/29 11:47
-	17	((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM)	USPAT	2000/12/29 11:50
-	17	((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM)	USPAT	2000/12/29 12:05
-	27	((second adj interlayer adj insulating adj (layer film))) and (EPROM EEPROM)	USPAT	2000/12/29 12:06
-	14296	"1112"	USPAT	2000/12/29 12:07
-	10	((second adj interlayer adj insulating adj (layer film))) and (EPROM EEPROM) not (((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM))	USPAT	2000/12/29 12:07
-	278	(float\$3 and control) and ((source and Drain) and ((EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.)))	USPAT	2000/12/29 12:08
-	2	(("5550073") or ("5149666")).PN.	USPAT	2000/12/29 14:28
-	113	source WITH perpendicular WITH bit	USPAT	2000/12/29 14:29
-	61	(EPROM EEPROM) and (source WITH perpendicular WITH bit)	USPAT	2002/05/28 15:12
-	1488	(438/118,622,201,211,257).CCLS.	USPAT	2001/05/07 15:12
-	160	(("438/118,622,201,211,257").CCLS.) and @pd>=20001228	USPAT	2001/05/07 15:13
-	39	(EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.) and @pd>=20001228)	USPAT	2001/05/07 15:20
-	37	source and drain and ((EEPROM EPROM) and (((("438/118,622,201,211,257").CCLS.) and @pd>=20001228)))	USPAT	2001/05/07 15:20
-	16	bit and word and (source and drain and ((EEPROM EPROM) and (((("438/118,622,201,211,257").CCLS.) and @pd>=20001228))))	USPAT	2001/05/07 15:26
-	167	bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228))))	USPAT	2001/05/07 15:28
-	174	bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/05/07 15:29
-	171	bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228))))	USPAT; US-PGPUB	2001/05/07 15:30
-	226	bit and word and (source and drain and ((EEPROM EPROM)))	EPO; JPO; DERWENT; IBM_TDB	2001/05/07 15:30
-	1	("5741719").PN.	USPAT	2002/05/24 15:51
-	1	jp-09082926-\$.did.	USPAT; JPO	2002/05/24 15:52
-	1	("6114767").PN.	USPAT	2002/05/24 17:15
-	2	6114767.URPN.	USPAT	2002/05/24 17:21
-	4	("5208782" "5717635" "5834807" "5838615").PN.	USPAT	2002/05/24 17:21

-	3233	(438/118,622,201,211,257).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/24 17:25
-	16	((second another) near ((interlayer inter adj layer) adj (dielectric insulat\$4 ild)) SAME (drain bit) and ((438/118,622,201,211,257).CCLS.)	USPAT	2002/05/24 17:32
-	95	(EPROM EEPROM) and (source WITH perpendicular WITH bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/28 16:07
-	0	jp-1996418271-\$.did	JPO	2002/05/28 16:08
-	0	jp-08204159-\$.did	JPO	2002/05/28 16:08
-	1	jp-08204159-\$.did.	JPO	2002/05/28 16:08
-	2	("6114767").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 08:44
-	2	("20020064916").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 09:49
-	2	jp-11284184-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 09:50
-	2	6114767.URPN.	USPAT	2003/02/10 10:23
-	4	("5208782" "5717635" "5834807" "5838615").PN.	USPAT	2003/02/10 10:23
-	3	5838615.URPN.	USPAT	2003/02/10 10:24
-	4	("5338956" "5389808" "5392237" "5656840").PN.	USPAT	2003/02/10 10:24
-	89	(hole via contact) with (source Drain bit bitline) with (etch etching define defining etchant etched) and (EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.)	USPAT	2003/02/10 10:54
-	2	("20020064916").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:24
-	4605	aluminum near4 refractory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:29
-	9	bit with aluminum near4 refractory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:31
-	0	bit with (aluminum al) near4 refractory and preferabl\$3 near2 (al aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:32
-	7	contact with (aluminum al) near4 refractory and preferabl\$3 near2 (al aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:33

-	1	(aluminum al) near4 refractory same preferabl\$3 near2 (al aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:34
-	301	(aluminum al) near4 (Ti titanium w tungsten refractory) same preferabl\$3 near2 (al aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:19
-	3	source with drain with interchangeable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:20
-	13213	source with drain with defin\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:21
-	16878	source with drain with switch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:22
-	3422	source with drain with switch\$5 and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:25
-	4540	(438/118,622,201,211,257).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:48
-	31	(source with drain with switch\$5 and (438/\$6 257/\$6)) and ((438/118,622,201,211,257).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:24
-	277	source with drain with switch\$5 with operation and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:26
-	1	(source with drain with switch\$5 with operation and (438/\$6 257/\$6)) and (source with drain with switch\$5 with ordinary and (438/\$6 257/\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:26
-	5	source with drain with switch\$5 with ordinary and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:26
-	652	source with drain with ordinary and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:27

-	212	source with drain with ordinary with skill and (438/\$6 257/\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:53
-	44	back\$3 with control with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:01
-	50	back\$3 with (control word wordline) with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:06
-	21	back\$3 near4 (control word wordline) with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:06
-	2	backing near wir\$3 with (control word wordline) with common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:06
-	4	backing near wir\$3 with (control word wordline) with (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:08
-	1237	wir\$3 near4 (control word wordline) with wir\$3 near4 (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:24
-	8	second near wir\$3 near4 (control word wordline) with second near wir\$3 near4 (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:16
-	1	second near wir\$3 near4 (control word wordline) with second near wir\$3 near4 common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:17
-	18	wir\$3 near4 (control word wordline) with wir\$3 near4 common near (source drain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:18
-	41	wir\$3 near4 (control word wordline) with wir\$3 near4 (source drain) with forming	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:26
-	17	wir\$3 near4 (control word wordline) with wir\$3 near4 (source drain) with simultaneous\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:30

-	0	connect3 near4 (control word wordline) with connect\$3 near4 (source drain) with simultaneous\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:31
-	478	connect\$4 near4 (control word wordline) with connect\$4 near4 (source drain) with simultaneous\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:48